

# Linex<sup>®</sup> 4L

Agricultural Herbicide

## Control triazine resistant weeds such as Lambsquarter, Pigweed and others by including Linex 4L in your herbicide program.

The continuous use of Group 5 herbicides such as atrazine and metribuzin in fields rotated between potatoes, corn and other crops, year after year, can result in the development of triazine resistant weeds. Linex 4L (linuron) is a urea-based herbicide (Group 7) which has a different mode of action versus metribuzin and atrazine. Using Linex for your pre-emergence application in potatoes breaks the cycle of continual triazine use and can result in better control of resistant weeds. In addition, using Linex in a preemergence application allows greater flexibility in-season.

Using Linex at pre-emergence provides the following benefits:

- Controls resistant weeds by using a different mode of action
- Reserves in your “tool box,” post emergence applied herbicides with a different mode of action for use in-season\* if needed.

### USE INSTRUCTIONS

Do not use West of Rocky Mountains.  
Do not spray over top of emerged potatoes.  
Do not exceed 3 pts. per acre per year.

**East of Rocky Mountains only:** Apply 1.5 to 2.5 pts. per acre on the lighter soils (sandy loams, silt loams; 1 to 2% organic matter) and 2.5 to 3 pts. per acre on heavier soils (silts, clay loams; 2 to 5% organic matter). On soils over 5% organic matter, use 3 pts. per acre to emerged weeds (before potatoes emerge). For improved annual grass and nutsedge control, consider tank mixes with S-metolachlor.

**Preemergence Application:** Make a single application as a broadcast spray after planting but before crop emerges.

Plant seed at least 2 inches deep. If beds are to be dragged and/or hilled, apply after the final dragging or hilling operation. Apply before grasses are 2 inches tall and before broadleaf weeds are 6 inches tall, preferably just before or when weed seedlings emerge. If emerged weeds are present, add 1 pt. surfactant for each 25 gals. spray mixture.

In irrigated areas, best results are obtained when application is made to moist soil, followed within 2 weeks by 1 inches to 2 inches of sprinkler irrigation (or rainfall). On powder dry soils, irrigate prior to herbicide application and follow with sprinkler irrigation to activate the herbicide.

\*Important: Always read the label before buying and follow label instructions when using this product. Atrazine is a restricted-use pesticide.

#### CONDITIONS OF SALE – LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Failure to strictly follow label directions may cause injury to crops, animals, man or the environment. Tessenderlo Kerley, Inc. (TKI) warrants that the product conforms to the chemical description on the label and is reasonably fit for the purpose referred to in the directions for use when properly applied in normal weather conditions. TKI makes no other warranty or representation of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose. The exclusive remedy against TKI for any cause of action relating to the handling or use of the product is a claim for actual out-of-pocket damages, and in no event shall TKI be liable for special, indirect, incidental or consequential damages or expense of any nature, including, but not limited to, loss of profits or income, whether or not based on the negligence of TKI, breach of warranty, strict liability in tort, or any other cause of action. TKI and the seller offer the product, and the buyer and users accept it, subject to the foregoing conditions of sale and limitations of warranty, liability and remedies.

TESSENDERLO KERLEY, INC.  
2255 North 44th Street  
Suite 300  
Phoenix, AZ 85008-3279

Customer Service:  
1-800-525-2803  
1-602-889-8300

[www.novasource.com](http://www.novasource.com)