



Almonds



Grapes



Walnuts

TESSENDERLO KERLEY, INC.
2255 North 44th Street
Suite 300
Phoenix, AZ 85008-3279

Customer Service:
800-525-2803
602-889-8300

novasource.com

Stay Ahead of Your Broadleaf and Grass Weed Control with **Solicam**[®] **DF**

SOLICAM DF pre-emergence herbicide provides long-lasting, grass and broadleaf weed control in tree fruits, nuts and vines (TNV). When applied prior to seed germination, SOLICAM DF enables growers to get ahead of their weed control.

Product Information

SOLICAM DF must be moved into the weed seed germination zone to be effective. If no rainfall occurs within 4 weeks after application, the product must be incorporated by flood or sprinkler irrigation. SOLICAM DF has no postemergence activity and will not control established weeds. Existing weeds must be mechanically removed or controlled by using a suitable postemergence herbicide.

Key Benefits

- Provides pre-emergence control of some of the toughest broadleaf weeds and grasses in TNV crops.
- Provides suppression of very difficult weeds including Nutsedge, bermudagrass and Johnsongrass.
- Group 12 herbicide with a unique mode of action inhibiting carotenoid biosynthesis. Results include bleached, white and dying weeds that are noncompetitive with the crop.
- SOLICAM DF is a good resistance management tool.
- Longer residual effects minimize the need for burn down sprays, optimizing ROI for the grower.
- Reliable performance in all weather conditions.
- Excellent compatibility with a majority of tank mix partners, especially with newer chemistries that may have trouble controlling specific grass species.

Use Guidelines


- Treat prior to weed germination.
- The soil should be settled, firm and relatively free of weeds and debris at the time of application.
- Multiple or sequential applications can be made, but the total quantity of SOLICAM DF applied within a year must not exceed the maximum recommended rates on the label. (See table on the back page of this document or in the specimen label.)
- Application rate is dependent on soil texture. (See table on the back page of this document or in the specimen label.)
- Do not exceed maximum recommended rate.
- Tank mix with paraquat, glufosinate or glyphosate to enhance the control of emerged weeds and grasses.
- Pre-Harvest Interval (PHI) = 30 days
- Restricted Entry Interval (REI) = 12 hours

Use Restrictions and Precautions

- SOLICAM DF should be applied prior to weed seed germination and when rainfall or irrigation is likely to occur within 4 weeks of treatment.
- SOLICAM DF will not control emerged weeds.
- SOLICAM DF has a 30-day PHI on citrus and a 60-day PHI on TNV crops.
- Do not apply SOLICAM DF through any type of irrigation system/chemigation except for citrus.
- Loss of pigment (whitening) in leaf veins may occur on almonds, cherries or grapes grown in coarse-textured soils when SOLICAM DF is applied within three months after bud break.
- Do not apply to erodible soil which may wash into the root zone of sensitive plants and do not apply in greenhouses, as crop injury may occur.
- Do not apply in areas with poor drainage.
- There are a variety of regional restrictions and precautions regarding the use of SOLICAM DF. Please consult the label or your local ag commissioner (in California) for specific instructions in your area



Stone Fruit



Pecans

Maximum SOLICAM DF Rates (Pounds of Product per Treated Acre per Year) by Soil Texture					
Crop	Coarse		Medium	Fine	Months after Planting to First Allowed Application (West/East of the Mississippi River)
	Sand, Loamy Sand	Sandy Loam	Loam, Silt Loam, Silt, Sandy Clay Loam	Sandy Clay, Clay Loam, Silty Clay Loam, Silty Clay, Clay	
Citrus	2.5 – 5.0	2.5 – 5.0	3.75 – 5.0	5.0	0/0
Irrigated Citrus (FL and TX only)	2.5 – 10.0	2.5 – 10.0	3.75 – 10.0	5.0 – 10.0	0/0
Apples	2.5 – 5.0	2.5 – 5.0	5.0	5.0	0/0
Hops / Blueberries	2.5	2.5	3.75	5.0	0.6*
Avocados, Filberts	2.5	2.5	3.75	5.0	6/6
Asparagus	2.5	3.75	3.75 – 5.0	3.75 – 5.0	12/12
Nectarines, Peaches, Pecans	2.5	2.5	3.75	5.0	18/6
Apricots, Blackberries, Pears, Plums, Prunes, Raspberries	2.5	2.5	3.75	5.0	18/12
Walnuts	2.5	2.5 – 3.25	3.75 – 5.0	5.0	18/12
Almonds	1.25	2.5	3.75	5.0	18/18
Cherries	Not Recommended	2.5	3.75	5.0	18/18
Grapes	1.25	2.5	3.75	5.0	24/24

*See footnote 11 following Table 1 in the specimen label.

Important: Always read the label before buying and follow label instructions when using this product.

CONDITIONS OF SALE – LIMITED WARRANTY AND LIMITATIONS OF LIABILITY AND REMEDIES

Tessengerlo Kerley, Inc. warrants only that this product conforms to the product description on the label. Except as warranted by this label, Tessenderlo Kerley, Inc. makes no representation or warranty or guarantee, whether expressed or implied, of fitness for a particular purpose of merchantability, or of product performance. Tessenderlo Kerley, Inc. does not authorize any agent or representative to make any such representation, warranty or guarantee. To the extent consistent with applicable law, Tessenderlo Kerley, Inc.'s maximum liability for breach of its warranty or for use of this product, regardless of the form of action, shall be limited to the purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and disposal liability resulting from handling, storage, use and disposal of this product. If buyer does not agree with or accept these warranty and liability limitations, buyer may return the unopened container to the place of purchase for full refund. Buyer's use of this product shall constitute conclusive evidence of buyer's acknowledgement and acceptance of the forgoing limitations. Some states do not allow the exclusion of implied warranties or the limitation of certain damages, so the above may not apply. The purchase, delivery, acceptance and use of this product by the buyer are subject to the terms and conditions of seller's sales invoice for this product.

TESSENDERLO KERLEY, INC.
2255 North 44th Street
Suite 300
Phoenix, AZ 85008-3279

Customer Service:
800-525-2803
602-889-8300

novasource.com